## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (original) An apparatus for controlling a base device, comprising:

a memory; and

at least one processor, coupled to the memory, operative to:

detect a motion of said apparatus;

interpret said motion to identify a command that triggers a transfer of data

between said apparatus and said base device; and

execute said command.

2. (original) The apparatus of claim 1, wherein said execute said command operation includes transferring a second command to said base device.

3. (original) The apparatus of claim 1, wherein said detected motion is a throwing motion.

4. (original) The apparatus of claim 1, wherein said detected motion is a pouring motion.

5. (original) The apparatus of claim 1, wherein said detected motion is a pulling motion directed from said base device.

6. (original) The apparatus of claim 1, further operative to add one or more new commands by detecting and recording a demonstration motion.

7. (original) The apparatus of claim 6, further operative to create a motion model from said recorded demonstration motion.

- 8. (original) The apparatus of claim 7, further operative to assign said one or more new commands to said motion model.
- 9. (original) The apparatus of claim 1, further comprising three dimensional motion sensors for performing said motion detection operation.
- 10. (original) The apparatus of claim 1, further comprising one or more motion models, wherein each of said one or more motion models is assigned a command.
- 11. (original) The apparatus of claim 10, wherein said interpret said motion operation is performed by comparing said detected motion to one or more of said one or more motion models.
- 12. (currently amended) A method for controlling a base device, comprising: detecting a motion of <u>an said apparatus</u>; interpreting said motion to identify a command that triggers a transfer of data between said apparatus and said base device; and executing said command.
- 13. (original) The method of claim 12, wherein said executing said command step includes transferring a second command to said base device.
- 14. (original) The method of claim 12, wherein said detecting motion step is a throwing motion.
- 15. (original) The method of claim 12, wherein said detecting motion step is a pouring motion.
- 16. (original) The method of claim 12, wherein said detecting motion step is a pulling motion directed from said base device.

- 17. (original) The method of claim 12, further comprising the step of adding one or more new commands by detecting and recording a demonstration motion.
- 18. (original) The method of claim 17, further comprising the step of creating a motion model from said recorded demonstration motion.
- 19. (original) The method of claim 18, further comprising the step of assigning said one or more new commands to said motion model.
- 20. (original) The method of claim 12, wherein said interpreting said motion step is performed by comparing said detected motion to one or more motion models.
- 21. (currently amended) An article of manufacture for controlling a base device, comprising:
- a machine readable medium containing one or more programs which when executed implement the steps of:

detecting a motion of an said apparatus;

interpreting said motion to identify a command that triggers a transfer of data between said apparatus and said base device; and

executing said command.